

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|-----------------|------------------|---------|------------------|
| L1 | 1 | "7200636".pn. and filter\$5 near12 server | US-PGPUB; USPAT | OR | ON | 2008/08/13 19:57 |
| L2 | 0 | "7200636".pn. and updat\$5 near4 server | US-PGPUB; USPAT | OR | ON | 2008/08/13 20:11 |
| L3 | 0 | "7200636".pn. and updat\$5 near12 server | US-PGPUB; USPAT | OR | ON | 2008/08/13 20:11 |
| L4 | 1 | "7200636".pn. and updat\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 20:11 |
| L5 | 1 | "7200636".pn. and match\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 20:14 |
| L6 | 1 | "7200636".pn. and match\$5 and filter \$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 20:14 |
| L7 | 1 | 6 and match\$5 near4 filter\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 20:15 |
| L8 | 0 | "7200636".pn. and filter near3 message | US-PGPUB; USPAT | OR | ON | 2008/08/13 20:46 |
| L9 | 1 | "7200636".pn. and filter near12 message | US-PGPUB; USPAT | OR | ON | 2008/08/13 20:46 |
| L10 | 1 | "7200636".pn. and (client user) | US-PGPUB; USPAT | OR | ON | 2008/08/13 20:49 |
| L11 | 1 | "7200636".pn. and (client user) and request\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 20:51 |
| L12 | 24887 | 709/203,206,217,219,220.xls | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L13 | 1 | "20050091322" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L14 | 3 | classif\$8 near3 message same "before sending" near3 message near4 server | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L15 | 43 | classif\$8 near3 message near3 client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L16 | 14 | L15 same server | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L17 | 6 | L15 with server | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L18 | 19 | L12 and L15 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L19 | 8 | classif\$8 near messages near2 client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L20 | 7 | L19 and updat\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L21 | 16 | classif\$8 and message and updat\$5).ab. | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L22 | 26 | (classif\$8 and message and updat\$5).ab. | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |

| | | | | | | |
|-----|-------|---|------------------------|----|-----|------------------|
| L23 | 0 | classif\$5 near3 messsage near12 client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L24 | 45 | classif\$5 near3 message near12 client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L25 | 0 | L22 and L24 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L26 | 117 | classif\$5 with message with client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L27 | 1 | L22 and L26 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L28 | 523 | classifi\$6 near messages | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L29 | 3788 | monitor\$5 near message | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L30 | 16 | L28 and L29 and updat\$5 | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L31 | 17 | L28 and L29 | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L32 | 8 | L30 and client and server and request \$5 and classifi\$5 | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L33 | 14 | ("5050066" "5195089" "5287453" "5335347" "5367673" "5367681"). PN. OR ("5619697").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/08/13 21:06 |
| L34 | 23307 | classifi\$5 and updat\$5 and (client user) and server | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/08/13 21:06 |
| L35 | 0 | L33 and L34 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/08/13 21:06 |
| L36 | 0 | L33 and classifi\$5 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/08/13 21:06 |
| L37 | 523 | classifi\$6 near messages | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L38 | 3788 | monitor\$5 near message | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L39 | 16 | L37 and L38 and updat\$5 | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L40 | 0 | "classifying messages on a client" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L41 | 0 | "classified messages on a client" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L42 | 0 | "classified message on a client" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L43 | 0 | classif\$8 near message near on near client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L44 | 5 | classif\$8 near message near client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L45 | 5 | L44 and (client user) near12 server | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |

| | | | | | | |
|-----|-------|---|-----------------|----|----|------------------|
| L46 | 1 | "20050091322" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L47 | 1 | "2003152035" "2002078192" "2002083214" "6101541" pn. | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L48 | 1 | L47 and classif\$8 near12 (client user) | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L49 | 29 | classif\$5 near4 message near4 client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L50 | 29 | L49 and ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L51 | 19 | L49 and @ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L52 | 1 | "6161130".pn. | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L53 | 1 | "6161130".pn. and classif\$5 near12 rule | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L54 | 1 | L53 and rule | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L55 | 1 | L52 and client near12 spam | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L56 | 1 | L52 and client near12 classif\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L57 | 13 | adjust\$5 near4 port near4 message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L58 | 13 | adjust\$5 near port with message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L59 | 1 | monitor\$5 near12 port near12 classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L60 | 27342 | monitor\$5 near12 port | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L61 | 1 | L60 with classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L62 | 2 | L60 same classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L63 | 2 | L60 and L62 and classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L64 | 2 | L63 and port | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L65 | 1 | L64 and udp | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L66 | 1 | monitor\$5 with port with classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L67 | 1142 | monitor\$5 with port with message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L68 | 759 | monitor\$5 near12 port near12 message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L69 | 135 | monitor\$5 near2 port near2 message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L70 | 83 | (rule policy) near3 classif\$5 near3 message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |

| | | | | | | |
|-----|-------|---|-----------------|----|-----|------------------|
| L71 | 1011 | monitor\$5 near2 message with server | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L72 | 2 | L71 and L70 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L73 | 0 | ("2005/0204001").URPN. | USPAT | OR | OFF | 2008/08/13 21:06 |
| L74 | 0 | ("2005/0091322").URPN. | USPAT | OR | OFF | 2008/08/13 21:06 |
| L75 | 24 | port near12 classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L76 | 17 | L75 and @ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L77 | 8 | adjust near port with message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L78 | 7 | L77 and @ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L79 | 0 | "adjust a port" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L80 | 4210 | (adjust\$5 near modif\$5 chang\$5) near port | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L81 | 45 | L80 near2 message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L82 | 1 | L81 same classifi\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L83 | 1 | L81 and classifi\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L84 | 3 | L81 and classifi\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L85 | 24887 | 709/203,206,217,219,220.xls. | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L86 | 1 | "2005091322" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L87 | 3 | classif\$8 near3 message same "before sending" near3 message near4 server | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L88 | 43 | classif\$8 near3 message near3 client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L89 | 14 | L88 same server | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L90 | 6 | L88 with server | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L91 | 19 | L85 and L88 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L92 | 8 | classif\$8 near messages near2 client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L93 | 7 | L92 and updat\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L94 | 16 | (classif\$8 and message and updat\$5).ab. | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L95 | 26 | (classif\$8 and message and updat\$5).ab. | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |

| | | | | | | |
|------|-------|---|------------------------|----|-----|------------------|
| L96 | 0 | classif\$5 near3 messsage near12 client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L97 | 45 | classif\$5 near3 message near12 client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L98 | 0 | L95 and L97 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L99 | 117 | classif\$5 with message with client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L100 | 1 | L95 and L99 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L101 | 523 | classifi\$6 near messages | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L102 | 3788 | monitor\$5 near message | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L103 | 16 | L101 and L102 and updat\$5 | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L104 | 17 | L101 and L102 | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L105 | 8 | L103 and client and server and request \$5 and classifi\$5 | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L106 | 14 | ("5050066" "5195089" "5287453" "5335347" "5367673" "5367681"). PN. OR ("5619697").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/08/13 21:06 |
| L107 | 23307 | classifi\$5 and updat\$5 and (client user) and server | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/08/13 21:06 |
| L108 | 0 | L106 and L107 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/08/13 21:06 |
| L109 | 0 | L106 and classifi\$5 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/08/13 21:06 |
| L110 | 523 | classifi\$6 near messages | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L111 | 3788 | monitor\$5 near message | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L112 | 16 | L110 and L111 and updat\$5 | US-PGPUB; USPAT | OR | OFF | 2008/08/13 21:06 |
| L113 | 0 | "classifying messages on a client" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L114 | 0 | "classified messages on a client" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L115 | 0 | "classified message on a client" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L116 | 0 | classif\$8 near message near on near client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L117 | 5 | classif\$8 near message near client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L118 | 5 | L117 and (client user) near12 server | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |

| | | | | | | |
|------|-------|--|-----------------|----|----|------------------|
| L119 | 1 | "20050091322" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L120 | 1 | "2003152035" "2002078192" "2002083214" "6101541" .pn. | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L121 | 1 | L120 and classif\$8 near12 (client user) | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L122 | 29 | classif\$5 near4 message near4 client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L123 | 29 | L122 and ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L124 | 19 | L122 and @ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L125 | 1 | "6161130".pn. | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L126 | 1 | "6161130".pn. and classif\$5 near12 rule | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L127 | 1 | L126 and rule | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L128 | 1 | L125 and client near12 spam | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L129 | 1 | L125 and client near12 classif\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L130 | 13 | adjust\$5 near4 port near4 message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L131 | 13 | adjust\$5 near port with message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L132 | 1 | monitor\$5 near12 port near12 classif \$5 near message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L133 | 27342 | monitor\$5 near12 port | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L134 | 1 | L133 with classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L135 | 2 | L133 same classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L136 | 2 | L133 and L135 and classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L137 | 2 | L136 and port | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L138 | 1 | L137 and udp | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L139 | 1 | monitor\$5 with port with classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L140 | 1142 | monitor\$5 with port with message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L141 | 759 | monitor\$5 near12 port near12 message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L142 | 135 | monitor\$5 near2 port near2 message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L143 | 83 | (rule policy) near3 classif\$5 near3 message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |

| | | | | | | |
|------|--------|---|-----------------|----|-----|------------------|
| L144 | 1011 | monitor\$5 near2 message with server | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L145 | 2 | L144 and L143 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L146 | 0 | ("2005/0204001").URPN. | USPAT | OR | OFF | 2008/08/13 21:06 |
| L147 | 0 | ("2005/0091322").URPN. | USPAT | OR | OFF | 2008/08/13 21:06 |
| L148 | 24 | port near12 classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L149 | 17 | L148 and @ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L150 | 8 | adjust near port with message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L151 | 7 | L150 and @ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L152 | 0 | "adjust a port" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L153 | 4210 | (adjust\$5 near modif\$5 chang\$5) near port | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L154 | 45 | L153 near2 message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L155 | 1 | L154 same classifi\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L156 | 1 | L154 and classifi\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L157 | 3 | L154 and classifi\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L158 | 0 | rules near3 "for classifying messages" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L159 | 14 | rules near3 "classifying messages" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L160 | 4 | L159 and @ad<"20031027" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L161 | 41 | filter\$5 near12 message near12 client near12 (send sending sent) near2 message near4 server | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L162 | 1 | L161 same classifi\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L163 | 21 | L161 and @ad<"20031027" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L164 | 0 | L163 and classifi\$5 near2 message near3 rule | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L165 | 10 | L163 and filter\$5 and rule and (sent sending sent) and message and client and message near3 client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L166 | 644817 | L165 and updat\$5 (classifi\$5 or rule) | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L167 | 10 | L165 and updat\$5 and (classifi\$5 or rule) | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |

| | | | | | | |
|------|-------|---|-----------------|----|-----|------------------|
| L168 | 0 | "2003152035" | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L169 | 1 | "7200636".pn. | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L170 | 1 | L169 and server near12 client near12 server | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L171 | 1 | L169 and message near12 client near12 server | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L172 | 1 | L169 and message near12 client | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L173 | 1 | L169 and message near12 (client user) | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| L174 | 1 | L169 and filter\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 21:06 |
| S1 | 20693 | 709/203,206,217,219,220.col.s. | US-PGPUB; USPAT | OR | ON | 2007/07/06 00:05 |
| S2 | 1 | "20050091322" | US-PGPUB; USPAT | OR | ON | 2007/07/06 00:07 |
| S3 | 3 | classif\$8 near3 message same "before sending" near3 message near4 server | US-PGPUB; USPAT | OR | ON | 2007/07/06 00:11 |
| S4 | 33 | classif\$8 near3 message near3 client | US-PGPUB; USPAT | OR | ON | 2007/07/06 00:11 |
| S5 | 10 | S4 same server | US-PGPUB; USPAT | OR | ON | 2007/07/06 00:12 |
| S6 | 6 | S4 with server | US-PGPUB; USPAT | OR | ON | 2007/07/07 11:42 |
| S7 | 13 | S1 and S4 | US-PGPUB; USPAT | OR | ON | 2007/07/06 00:31 |
| S8 | 8 | classif\$8 near messages near2 client | US-PGPUB; USPAT | OR | ON | 2007/07/07 12:04 |
| S9 | 7 | S8 and updat\$5 | US-PGPUB; USPAT | OR | ON | 2007/07/07 12:04 |
| S10 | 11 | (classif\$8 and message and updat\$5).ab. | US-PGPUB; USPAT | OR | OFF | 2007/07/07 12:29 |
| S11 | 19 | (classif\$8 and message and updat\$5).ab. | US-PGPUB; USPAT | OR | ON | 2007/07/07 12:30 |
| S12 | 0 | classif\$5 near3 messsage near12 client | US-PGPUB; USPAT | OR | ON | 2007/07/07 12:31 |
| S13 | 35 | classif\$5 near3 message near12 client | US-PGPUB; USPAT | OR | ON | 2007/07/07 12:49 |
| S14 | 0 | S11 and S13 | US-PGPUB; USPAT | OR | ON | 2007/07/07 12:48 |
| S15 | 91 | classif\$5 with message with client | US-PGPUB; USPAT | OR | ON | 2007/07/07 12:49 |
| S16 | 1 | S11 and S15 | US-PGPUB; USPAT | OR | ON | 2007/07/07 12:49 |
| S17 | 431 | classif\$6 near messages | US-PGPUB; USPAT | OR | OFF | 2007/07/07 13:08 |
| S18 | 3293 | monitor\$5 near message | US-PGPUB; USPAT | OR | OFF | 2007/07/07 13:08 |

| | | | | | | |
|-----|-------|---|------------------------------|----|-----|---------------------|
| S19 | 15 | S17 and S18 and updat\$5 | US-PGPUB; USPAT | OR | OFF | 2007/07/07 13:09 |
| S20 | 16 | S17 and S18 | US-PGPUB; USPAT | OR | OFF | 2007/07/07 13:09 |
| S21 | 7 | S19 and client and server and request \$5 and classifi\$5 | US-PGPUB; USPAT | OR | OFF | 2007/07/07 13:10 |
| S22 | 13 | ("5050066" "5195089" "5287453" "5335347" "5367673" "5367681"). PN. OR ("5619697").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/07/07 13:28 |
| S23 | 18105 | classifi\$5 and updat\$5 and (client user) and server | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/07/07 13:29 |
| S24 | 0 | S22 and S23 | US-PGPUB; USPAT; USOCR | OR | ON | 2007/07/07 13:30 |
| S25 | 0 | S22 and classifi\$5 | US-PGPUB; USPAT; USOCR | OR | ON | 2007/07/07 13:30 |
| S26 | 431 | classifi\$6 near messages | US-PGPUB; USPAT | OR | OFF | 2007/07/07 14:36 |
| S27 | 3293 | monitor\$5 near message | US-PGPUB; USPAT | OR | OFF | 2007/07/07 14:36 |
| S28 | 15 | S26 and S27 and updat\$5 | US-PGPUB; USPAT | OR | OFF | 2007/07/07 14:36 |
| S29 | 0 | "classifying messages on a client" | US-PGPUB; USPAT | OR | ON | 2007/07/07 14:53 |
| S30 | 0 | "classified messages on a client" | US-PGPUB; USPAT | OR | ON | 2007/07/07 14:53 |
| S31 | 0 | "classified message on a client" | US-PGPUB; USPAT | OR | ON | 2007/07/07 14:53 |
| S32 | 0 | classifi\$8 near message near on near client | US-PGPUB; USPAT | OR | ON | 2007/07/07 14:54 |
| S33 | 5 | classifi\$8 near message near client | US-PGPUB; USPAT | OR | ON | 2007/07/07 15:10 |
| S34 | 5 | S33 and (client user) near12 server | US-PGPUB; USPAT | OR | ON | 2007/07/07 15:11 |
| S35 | 1 | "20050091322" | US-PGPUB; USPAT | OR | ON | 2007/07/08 00:22 |
| S36 | 1 | "2003152035" "2002078192" "2002083214" "6101541".pn. | US-PGPUB; USPAT | OR | ON | 2007/07/08 00:27 |
| S37 | 1 | S36 and classifi\$8 near12 (client user) | US-PGPUB; USPAT | OR | ON | 2007/07/08 00:28 |
| S38 | 27 | classifi\$5 near4 message near4 client | US-PGPUB; USPAT | OR | ON | 2008/01/31 12:44 |
| S39 | 27 | S38 and ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/01/31 12:45 |
| S40 | 18 | S38 and @ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/01/31 12:45 |
| S42 | 1 | "6161130".pn. | US-PGPUB; USPAT | OR | ON | 2008/02/02 12:26 |

| | | | | | | |
|-----|-------|---|-----------------|----|-----|------------------|
| S43 | 1 | "6161130".pn. and classif\$5 near12 rule | US-PGPUB; USPAT | OR | ON | 2008/02/02 12:28 |
| S44 | 1 | S43 and rule | US-PGPUB; USPAT | OR | ON | 2008/02/02 12:51 |
| S45 | 1 | S42 and client near12 spam | US-PGPUB; USPAT | OR | ON | 2008/02/02 13:06 |
| S46 | 1 | S42 and client near12 classif\$5 | US-PGPUB; USPAT | OR | ON | 2008/02/02 13:27 |
| S47 | 9 | adjust\$5 near4 port near4 message | US-PGPUB; USPAT | OR | ON | 2008/02/02 14:58 |
| S48 | 11 | adjust\$5 near port with message | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:01 |
| S49 | 1 | monitor\$5 near12 port near12 classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:12 |
| S50 | 25561 | monitor\$5 near12 port | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:13 |
| S51 | 1 | S50 with classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:13 |
| S52 | 2 | S50 same classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:13 |
| S53 | 2 | S50 and S52 and classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:15 |
| S54 | 2 | S53 and port | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:19 |
| S55 | 1 | S54 and udp | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:24 |
| S56 | 1 | monitor\$5 with port with classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:27 |
| S57 | 1036 | monitor\$5 with port with message | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:27 |
| S58 | 718 | monitor\$5 near12 port near12 message | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:28 |
| S59 | 127 | monitor\$5 near2 port near2 message | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:28 |
| S60 | 76 | (rule policy) near3 classif\$5 near3 message | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:33 |
| S61 | 897 | monitor\$5 near2 message with server | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:34 |
| S62 | 2 | S61 and S60 | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:34 |
| S63 | 0 | ("2005/0204001").URPN. | USPAT | OR | OFF | 2008/02/02 15:35 |
| S64 | 0 | ("2005/0091322").URPN. | USPAT | OR | OFF | 2008/02/02 15:35 |
| S65 | 24 | port near12 classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:47 |
| S66 | 17 | S65 and @ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/02/02 15:56 |
| S67 | 8 | adjust near port with message | US-PGPUB; USPAT | OR | ON | 2008/02/02 16:35 |

| | | | | | | |
|-----|-------|---|-----------------|----|-----|------------------|
| S68 | 7 | S67 and @ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/02/02 16:35 |
| S69 | 0 | "adjust a port" | US-PGPUB; USPAT | OR | ON | 2008/02/02 16:36 |
| S70 | 3954 | (adjust\$5 near modif\$5 chang\$5) near port | US-PGPUB; USPAT | OR | ON | 2008/02/02 16:37 |
| S71 | 40 | S70 near2 message | US-PGPUB; USPAT | OR | ON | 2008/02/02 16:38 |
| S72 | 1 | S71 same classifi\$5 | US-PGPUB; USPAT | OR | ON | 2008/02/02 16:38 |
| S73 | 1 | S71 and classifi\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/02/02 16:38 |
| S74 | 3 | S71 and classifi\$5 | US-PGPUB; USPAT | OR | ON | 2008/02/02 16:38 |
| S75 | 22745 | 709/203,206,217,219,220.xls. | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S76 | 1 | "20050091322" | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S77 | 3 | classif\$8 near3 message same "before sending" near3 message near4 server | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S78 | 39 | classif\$8 near3 message near3 client | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S79 | 12 | S78 same server | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S80 | 6 | S78 with server | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S81 | 16 | S75 and S78 | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S82 | 8 | classif\$8 near messages near2 client | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S83 | 7 | S82 and updat\$5 | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S84 | 13 | (classif\$8 and message and updat\$5). ab. | US-PGPUB; USPAT | OR | OFF | 2008/02/02 19:45 |
| S85 | 21 | (classif\$8 and message and updat\$5). ab. | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S86 | 0 | classif\$5 near3 messsage near12 client | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S87 | 41 | classif\$5 near3 message near12 client | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S88 | 0 | S85 and S87 | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S89 | 102 | classif\$5 with message with client | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S90 | 1 | S85 and S89 | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S91 | 470 | classifi\$6 near messages | US-PGPUB; USPAT | OR | OFF | 2008/02/02 19:45 |
| S92 | 3550 | monitor\$5 near message | US-PGPUB; USPAT | OR | OFF | 2008/02/02 19:45 |

| | | | | | | |
|------|-------|---|------------------------------|----|-----|---------------------|
| S93 | 16 | S91 and S92 and updat\$5 | US-PGPUB; USPAT | OR | OFF | 2008/02/02 19:45 |
| S94 | 17 | S91 and S92 | US-PGPUB; USPAT | OR | OFF | 2008/02/02 19:45 |
| S95 | 8 | S93 and client and server and request \$5 and classifi\$5 | US-PGPUB; USPAT | OR | OFF | 2008/02/02 19:45 |
| S96 | 14 | ("5050066" "5195089" "5287453" "5335347" "5367673" "5367681"). PN. OR ("5619697").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/02 19:45 |
| S97 | 20641 | classifi\$5 and updat\$5 and (client user) and server | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/02/02 19:45 |
| S98 | 0 | S96 and S97 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/02/02 19:45 |
| S99 | 0 | S96 and classifi\$5 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/02/02 19:45 |
| S100 | 470 | classifi\$6 near messages | US-PGPUB; USPAT | OR | OFF | 2008/02/02 19:45 |
| S101 | 3550 | monitor\$5 near message | US-PGPUB; USPAT | OR | OFF | 2008/02/02 19:45 |
| S102 | 16 | S100 and S101 and updat\$5 | US-PGPUB; USPAT | OR | OFF | 2008/02/02 19:45 |
| S103 | 0 | "classifying messages on a client" | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S104 | 0 | "classified messages on a client" | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S105 | 0 | "classified message on a client" | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S106 | 0 | classifi\$8 near message near on near client | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S107 | 5 | classifi\$8 near message near client | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S108 | 5 | S107 and (client user) near12 server | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S109 | 1 | "20050091322" | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S110 | 1 | "2003152035" "2002078192" "2002083214" "6101541".pn. | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S111 | 1 | S110 and classifi\$8 near12 (client user) | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S112 | 27 | classifi\$5 near 4 message near 4 client | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S113 | 27 | S112 and ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S114 | 18 | S112 and @ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S115 | 1 | "6161130".pn. | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |

| | | | | | | |
|------|-------|--|-----------------|----|-----|------------------|
| S116 | 1 | "6161130".pn. and classif\$5 near12 rule | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S117 | 1 | S116 and rule | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S118 | 1 | S115 and client near12 spam | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S119 | 1 | S115 and client near12 classif\$5 | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S120 | 9 | adjust\$5 near4 port near4 message | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S121 | 11 | adjust\$5 near port with message | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S122 | 1 | monitor\$5 near12 port near12 classif \$5 near message | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S123 | 25561 | monitor\$5 near12 port | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S124 | 1 | S123 with classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S125 | 2 | S123 same classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S126 | 2 | S123 and S125 and classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S127 | 2 | S126 and port | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S128 | 1 | S127 and udp | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S129 | 1 | monitor\$5 with port with classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S130 | 1036 | monitor\$5 with port with message | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S131 | 718 | monitor\$5 near12 port near12 message | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S132 | 127 | monitor\$5 near2 port near2 message | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S133 | 76 | (rule policy) near3 classif\$5 near3 message | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S134 | 897 | monitor\$5 near2 message with server | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S135 | 2 | S134 and S133 | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S136 | 0 | ("2005/0204001").URPN. | USPAT | OR | OFF | 2008/02/02 19:45 |
| S137 | 0 | ("2005/0091322").URPN. | USPAT | OR | OFF | 2008/02/02 19:45 |
| S138 | 24 | port near12 classif\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S139 | 17 | S138 and @ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S140 | 8 | adjust near port with message | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |

| | | | | | | |
|------|--------|---|--------------------|----|----|---------------------|
| S141 | 7 | S140 and @ad<"20031028" | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S142 | 0 | "adjust a port" | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S143 | 3954 | (adjust\$5 near modif\$5 chang\$5) near port | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S144 | 40 | S143 near2 message | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S145 | 1 | S144 same classifi\$5 | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S146 | 1 | S144 and classifi\$5 near message | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S147 | 3 | S144 and classifi\$5 | US-PGPUB; USPAT | OR | ON | 2008/02/02 19:45 |
| S148 | 0 | rules near3 "for classifying messages" | US-PGPUB; USPAT | OR | ON | 2008/08/13 16:34 |
| S149 | 14 | rules near3 "classifying messages" | US-PGPUB; USPAT | OR | ON | 2008/08/13 16:34 |
| S150 | 4 | S149 and @ad<"20031027" | US-PGPUB; USPAT | OR | ON | 2008/08/13 16:34 |
| S151 | 41 | filter\$5 near12 message near12 client near12 (send sending sent) near2 message near4 server | US-PGPUB; USPAT | OR | ON | 2008/08/13 16:38 |
| S152 | 1 | S151 same classifi\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 16:38 |
| S153 | 21 | S151 and @ad<"20031027" | US-PGPUB; USPAT | OR | ON | 2008/08/13 16:39 |
| S154 | 0 | S153 and classifi\$5 near2 message near3 rule | US-PGPUB; USPAT | OR | ON | 2008/08/13 16:40 |
| S155 | 10 | S153 and filter\$5 and rule and (sent sending sent) and message and client and message near3 client | US-PGPUB; USPAT | OR | ON | 2008/08/13 16:59 |
| S156 | 644817 | S155 and updat\$5 (classifi\$5 or rule) | US-PGPUB; USPAT | OR | ON | 2008/08/13 16:59 |
| S157 | 10 | S155 and updat\$5 and (classifi\$5 or rule) | US-PGPUB; USPAT | OR | ON | 2008/08/13 17:00 |
| S158 | 0 | "2003152035" | US-PGPUB; USPAT | OR | ON | 2008/08/13 17:55 |
| S159 | 1 | "7200636".pn. | US-PGPUB; USPAT | OR | ON | 2008/08/13 18:58 |
| S160 | 1 | S159 and server near12 client near12 server | US-PGPUB; USPAT | OR | ON | 2008/08/13 19:00 |
| S161 | 1 | S159 and message near12 client near12 server | US-PGPUB; USPAT | OR | ON | 2008/08/13 19:01 |
| S162 | 1 | S159 and message near12 client | US-PGPUB; USPAT | OR | ON | 2008/08/13 19:11 |
| S163 | 1 | S159 and message near12 (client user) | US-PGPUB; USPAT | OR | ON | 2008/08/13 19:20 |
| S164 | 1 | S159 and filter\$5 | US-PGPUB; USPAT | OR | ON | 2008/08/13 19:41 |

8/13/08 9:10:03 PM